ELSEVIER

Journal of Magnetism and Magnetic Materials 235 (2001) 487–492

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Author index to volume 235

Adler, J., see Lambert, S.E. 245
Akamatsu, M., Y. Okamoto, H. Saito, H. Osawa, H. Muraoka and Y. Nakamura, Error event analysis in perpendicular magnetic recording using double-layered medium 475
Aoi, H., see Kuroda, A. 25
Aoi, H., see Takano, H. 241
Aoi, H., see Sawaguchi, H. 265
Aoi, H., see Nishida, Y. 454
Aoyama, T., S. Okawa, K. Hattori, H. Hatate, Y. Wada, K. Uchiyama, T. Kagotani, H. Nishio and I. Sato, Fabrication and magnetic properties of CoPt perpendicular patterned media 174
Ariake, J., see Keitoku, T. 34
Ariake, J., see Kim, J.-Y. 53
Ariake, J., see Yan, G. 110
Ariake, J., see Sáfrán, G. 115
Ariake, J., see Kiya, T. 429
Asahi, T., see Onoue, T. 40
Asahi, T., see Onoue, T. 82
Asahi, T., K. Kuramochi, J. Kawaji, T. Onoue, T. Osaka and M. Saigo, Analysis of microstructures for Co/Pd multilayer perpendicular magnetic recording media with carbon underlayer 87
Asahi, T., see Okuo, H. 98

Bain, J.A., see van de Veerdonk, R.J.M. 138
Barna, P., see Sáfrán, G. 115
Batra, S., see van Ek, J. 408
Best, M.E., see Sonobe, Y. 424
Brown, S.J.C., see Wilton, D.T. 393

Chantrell, R.W., see Hughes, T. 329
Chong, T.C., see Soo, E.W. 93
Chong, T.C., see Hee, C.H. 440
Chow, G.M., see Soo, E.W. 93
Czigány, Z., see Sáfrán, G. 115

Daimon, H., see Kitakami, O. 179
Do, H., see Ikeda, Y. 104
Do, H., see Sonobe, Y. 424
Doi, T., see Yamamoto, S. 342

Fujiwara, H., K. Zhang, T. Kai and T. Zhao, Effect of direct exchange coupling between antiferromagnetic grains on magnetic behavior of ferro/antiferromagnetic exchange coupled polycrystalline layer systems 319
Fujiwara, N., see Naoe, M. 223
Fuke, H.N., see Fukuzawa, H. 208
Fukushima, H., see Uesaka, Y. 445
Fukuzawa, H., K. Koi, H. Tomita, H.N. Fuke, Y. Kamiguchi, H. Iwasaki and M. Sahashi, NOL specular spin-valve heads using an ultrathin CoFe free layer 208
Fusayasu, H., see Kuroe, A. 382
Futamoto, M., see Tanahashi, K. 59
Futamoto, M., see Kikukawa, A. 68
Futamoto, M., see Nakagawa, H. 73
Futamoto, M., see Tamai, I. 78
Futamoto, M., see Honda, Y. 126
Futamoto, M., Y. Hirayama, Y. Honda, A. Kikukawa, K. Tanahashi and A. Ishikawa, CoCr-alloy perpendicular magnetic recording media for high-density recording 281

Gopalaswamy, S., see Lambert, S.E. 245
Greaves, S.J., H. Muraoka, Y. Sonobe, M. Schabes and Y. Nakamura, Pinning of written bits in perpendicular recording media 418

Hamaya, K., see Naoe, M. 223
Hatate, H., see Aoyama, T. 174
Hatta, Y., see Saito, S. 120
Hattori, K., see Aoyama, T. 174
Hayashi, N., see Machida, K. 201
Hayashi, N., see Uesaka, Y. 445
Hee, C.H., J.P. Wang, T.C. Chong and T.S. Low, Design of highly oriented (HOR) media for extremely high density recording 440
Hikosaka, T., see Nakamura, F. 64
Hikosaka, T., see Tanaka, Y. 253
Hirata, K., see Yamamoto, S. 342
Hiratsuka, N., see Kakizaki, K. 169
Hirayama, Y., see Kikukawa, A. 68
Hirayama, Y., see Honda, Y. 126
Hirayama, Y., see Futamoto, M. 281
Homma, T., see Onoue, T. 40
Honda, N. and K. Ouchi, Low noise design of perpendicular magnetic recording media 289
Honda, N., see Keitoku, T. 34
Honda, N., see Kim, J.-Y. 53
Honda, N., see Yan, G. 110
Honda, N., see Sáfrán, G. 115

0304-8853/01/$ - see front matter
PII: S0304-8853(01)00504-2

Honda, N., see Suzuki, T. 312
Honda, N., see Yamakawa, K. 354
Honda, N., see Kiya, T. 429
Honda, N., see Komakine, T. 450
Honda, Y., see Tanahashi, K. 59
Honda, Y., see Kikukawa, A. 68
Honda, Y., see Nakagawa, H. 73
Honda, Y., K. Tanahashi, Y. Hirayama, A. Kikukawa and M. Futamoto, MFM study of magnetic interaction between recording and soft magnetic layers 126
Honda, Y., see Futamoto, M. 281
Horie, S., see Yamamoto, S. 218
Hoshi, Y., see Seiko, W. 196
Hoshi, Y., New sputter-deposition processes for the formation of thin films with desired structure for magnetic recording 347
Hosoe, Y., see Takano, H. 241
Huang, T., see Lambert, S.E. 245
Hughes, T., K. O'Grady, H. Laidler and R.W. Chantrell, Thermal activation in exchange biased bilayers 329
Hwang, M.S., see Lee, T.D. 297

Ichijo, M., see Kitakami, O. 179
Ikeda, Y., Y. Sonobe, G. Zeltzer, B.K. Yen, K. Takano, H. Do and P. Rice, Microstructure study of CoCrPt/Ti/NiAl perpendicular media 104
Ikeda, Y., see Sonobe, Y. 424
Ikemizu, K., see Suzuki, T. 159
Im, Y.H., see Lee, K.J. 398
Ise, K., K. Yamakawa and K. Ouchi, Writing performances of cusp-field single-pole head 187
Ise, K., see Yamakawa, K. 354
Ishi, T., see Tsuboi, S. 375
Ishikawa, A., see Tanahashi, K. 59
Ishikawa, A., see Nakagawa, H. 73
Ishikawa, A., see Tamai, I. 78
Ishikawa, A., see Futamoto, M. 281
Ishio, S., N. Mori, T. Yoshino, H. Saito, T. Suzuki and K. Ohuchi, Magnetic anisotropy field H_k and domain structure in $L1_0$ Fe_xPt_{1-x} films 148
Ishiwata, N., see Tsuboi, S. 375
Ito, T., O. Kitakami, Y. Shimada, Y. Kamo and S. Kikuchi, Enhanced grain growth of magnetic granules in Co/oxide granular films 165
Iwasaki, H., see Fukuzawa, H. 208
Iwasaki, K., see Tateno, Y. 153
Iwasaki, S., see Kiya, T. 429
Iwasaki, S.-i., Discoveries that guided the beginning of perpendicular magnetic recording 227

Jin, Z., see Wood, R. 1
Ju, G., see van de Veerdonk, R.J.M. 138
Judy, J.H., Past, present, and future of perpendicular magnetic recording 235
Judy, J.H., see Victora, R.H. 305

Kagotani, T., see Aoyama, T. 174
Kai, T., see Fujiwara, H. 319
Kakizaki, K., H. Watanabe and N. Hiratsuka, The effect of AlN underlayer on *c*-axis orientation of barium ferrite thin films for perpendicular magnetic recording media 169
Kamiguchi, Y., see Fukuzawa, H. 208
Kamo, Y., see Ito, T. 165
Kanai, Y., R. Matsubara, H. Muraoka and Y. Nakamura, Write field analysis of narrow-track SPT head for GHz response 368
Kawabe, T., see Mochizuki, M. 191
Kawabe, T., see Takano, H. 241
Kawaji, J., see Onoue, T. 40
Kawaji, J., see Onoue, T. 82
Kawaji, J., see Asahi, T. 87
Kawato, Y., see Mochizuki, M. 191
Keitoku, T., J. Ariake, N. Honda and K. Ouchi, Preparation of Co–Cr–Pt alloy film with high perpendicular coercivity and large negative nucleation field 34
Kikuchi, S., see Ito, T. 165
Kikukawa, A., see Tanahashi, K. 59
Kikukawa, A., K. Tanahashi, Y. Honda, Y. Hirayama and M. Futamoto, Distributions and characteristics of spike noise 68
Kikukawa, A., see Nakagawa, H. 73
Kikukawa, A., see Tamai, I. 78
Kikukawa, A., see Honda, Y. 126
Kikukawa, A., see Futamoto, M. 281
Kim, J.-Y., B.-K. Lee, G.-S. Park, M. Uchida, T. Kurosawa, S. Watanabe, J. Ariake, N. Honda and K. Ouchi, The effect of Pd buffer layers on magnetic exchange energy of Co/Pd multilayered films for perpendicular magnetic recording 53
Kim, J.W., see Lee, K.J. 398
Kim, Y.S., see Lee, K.J. 398
Kitakami, O., see Ito, T. 165
Kitakami, O., M. Ichijo and H. Daimon, Lubrication of surface oxidized Co–Cr thin films by phosphoric and phosphorous acid esters 179
Kitamoto, Y., see Naoe, M. 223
Kitano, M., E. Miyashita, K. Kuga, R. Taguchi, T. Tamaki, H. Okuda, H. Uwazumi, Y. Sakai, A. Kumagai and A. Otsuki, MFM analysis of recorded bit patterns of perpendicular media 459
Kiya, T., see Yan, G. 110
Kiya, T., see Suzuki, T. 312
Kiya, T., N. Honda, J. Ariake, K. Ouchi and S. Iwasaki, Detection of extremely high bit density signals with a narrow track width GMR head in double layered perpendicular recording media 429
Kiya, T., see Komakine, T. 450
Kobayashi, M., see Kuroe, A. 382
Koi, K., see Fukuzawa, H. 208
Komakine, T., N. Honda, T. Kiya and K. Ouchi, Noise spectrum analysis in perpendicular magnetic recording of double-layered media 450

Kuga, K., see Miyashita, E. 413
Kuga, K., see Kitano, M. 459
Kumagai, A., see Kitano, M. 459
Kuramochi, K., see Onoue, T. 40
Kuramochi, K., see Onoue, T. 82
Kuramochi, K., see Asahi, T. 87
Kurioka, T., see Okuda, H. 20
Kurisu, H., see Yamamoto, S. 133
Kurisu, H., see Yamamoto, S. 218
Kurisu, H., see Yamamoto, S. 342
Kuroda, A., Y. Nishida, A. Nakamura, K. Tanahashi, H. Takano, S. Narishige, H. Aoi and Y. Nakamura, Thermal decay estimation of perpendicular magnetic recording 25
Kuroda, A., see Takano, H. 241
Kuroda, A., see Nishida, Y. 454
Kuroe, A., S. Muramatsu, H. Fusayasu, A. Murata and M. Kobayashi, Predicted outputs of a high-frequency carrier-type magnetic head for 100 Gbit/in^2 generation 382
Kurosawa, T., see Kim, J.-Y. 53

Laidler, H., see Hughes, T. 329
Lairson, B.M., see Lambert, S.E. 245
Lambert, S.E., B.M. Lairson, H. Nguy, L. Nguyen, T. Huang, J. Adler and S. Gopalaswamy, Drive integration challenges for perpendicular recording 245
Lazzari, J.P., Single pole, single turn, probe GMR head and micro-actuator for high-density perpendicular recording 362
Lee, B.-K., see Kim, J.-Y. 53
Lee, K.J., see Lee, T.D. 297
Lee, K.J., Y.H. Im, Y.S. Kim, K.M. Lee, J.W. Kim, N.Y. Park, G.S. Park and T.D. Lee, Novel simulation model for perpendicular magnetic recording 398
Lee, K.M., see Lee, K.J. 398
Lee, T.D., M.S. Hwang and K.J. Lee, Effects of magnetic layer thickness on negative nucleation field and Cr segregation behavior in CoCrPt/Ti perpendicular media 297
Lee, T.D., see Lee, K.J. 398
Liu, B., see Yuan, Z. 481
Low, T.S., see Hee, C.H. 440

Machida, K., N. Hayashi, Y. Miyamoto, T. Tamaki and H. Okuda, Yoke-type TMR head with front-stacked gap for perpendicular magnetic recording 201
Maesaka, A., see Ohmori, H. 45
Mapps, D.J., see Wilton, D.T. 393
Masunari, N., see Okamoto, Y. 470
Matsubara, R., see Kanai, Y. 368
Matsushita, N., see Nakagawa, S. 337
Matsutera, H., see Tsuboi, S. 375
Matsuura, M., see Yamamoto, S. 133
Matsuura, M., see Yamamoto, S. 218
Matsuura, M., see Yamamoto, S. 342
Menyhárd, M., see Sáfrán, G. 115
Miki, S., see Okamoto, Y. 470
Miyamoto, Y., see Machida, K. 201
Miyashita, E., K. Kuga, R. Taguchi, T. Tamaki and H. Okuda, Simulation of magnetization patterns of perpendicular media for ultra-high recording density 413
Miyashita, E., see Kitano, M. 459
Mochizuki, M., Y. Nishida, Y. Kawato, T. Okada, T. Kawabe and H. Takano, Study on the write-field profile and intensity of narrow-track-width SPT head 191
Mori, N., see Ishio, S. 148
Motohashi, K., T. Samoto, S. Yoshida, H. Wako and S. Onodera, Magnetic activation volumes of obliquely evaporated Co–CoO tape 30
Muramatsu, S., see Kuroe, A. 382
Muraoka, H. and Y. Nakamura, Overview of read/write scheme for perpendicular magnetic recording utilizing single-pole head and double layer media 10
Muraoka, H., see Takano, H. 241
Muraoka, H., see Okamoto, Y. 259
Muraoka, H., see Shimatsu, T. 273
Muraoka, H., see Kanai, Y. 368
Muraoka, H., see Greaves, S.J. 418
Muraoka, H., see Shigematsu, H. 435
Muraoka, H., see Okamoto, Y. 465
Muraoka, H., see Akamatsu, M. 475
Murata, A., see Kuroe, A. 382
Murdock, E., see van Ek, J. 408

Nagai, T., see Wakana, S.-i. 213
Nakagawa, H., Y. Honda, A. Kikukawa, K. Tanahashi, A. Ishikawa and M. Futamoto, Effects of thin carbon intermediate layer on magnetic and structural properties of perpendicular recording media 73
Nakagawa, S., N. Matsushita and M. Naoe, Perpendicular magnetic recording media using hexagonal ferrite thin films deposited on Pt underlayers and interlayers 337
Nakamura, A., see Kuroda, A. 25
Nakamura, F., T. Hikosaka and Y. Tanaka, Low noise multi-layered FeAlSi soft magnetic films for perpendicular magnetic recording media 64
Nakamura, Y., see Muraoka, H. 10
Nakamura, Y., see Kuroda, A. 25
Nakamura, Y., see Takano, H. 241
Nakamura, Y., see Okamoto, Y. 259
Nakamura, Y., see Shimatsu, T. 273
Nakamura, Y., see Kanai, Y. 368
Nakamura, Y., see Greaves, S.J. 418
Nakamura, Y., see Shigematsu, H. 435
Nakamura, Y., see Nishida, Y. 454
Nakamura, Y., see Okamoto, Y. 465
Nakamura, Y., see Okamoto, Y. 470
Nakamura, Y., see Akamatsu, M. 475
Nakatani, Y., see Uesaka, Y. 445

Naoe, M., K. Hamaya, N. Fujiwara, T. Taniyama, Y. Kitamoto and Y. Yamazaki, Selective dry etching of manganite thin films for high sensitive magneto-resistive sensors 223
Naoe, M., see Nakagawa, S. 337
Narishige, S., see Kuroda, A. 25
Nguy, H., see Lambert, S.E. 245
Nguyen, L., see Lambert, S.E. 245
Nishida, Y., see Kuroda, A. 25
Nishida, Y., see Mochizuki, M. 191
Nishida, Y., see Takano, H. 241
Nishida, Y., see Sawaguchi, H. 265
Nishida, Y., H. Sawaguchi, A. Kuroda, H. Takano, H. Aoi and Y. Nakamura, Noise characteristics of double-layered perpendicular media 454
Nishio, H., see Aoyama, T. 174

Ohashi, K., see Tsuboi, S. 375
Ohchi, Y. and F. Tojyou, The characterization of lubricant on ME tape by TOF-SIMS analysis 183
Ohmori, H. and A. Maesaka, Magnetic properties and noise characteristics of Co/Pd multilayer perpendicular magnetic recording media 45
Ohuchi, K., see Ishio, S. 148
Okada, T., see Mochizuki, M. 191
Okamoto, Y., H. Osawa, H. Saito, H. Muraoka and Y. Nakamura, Performance of PRML systems in perpendicular magnetic recording channel with jitter-like noise 259
Okamoto, Y., M. Sato, H. Osawa, H. Saito, H. Muraoka and Y. Nakamura, MTR coded PRML systems for perpendicular magnetic recording 465
Okamoto, Y., S. Miki, N. Masunari, H. Osawa, H. Saito and Y. Nakamura, A study of timing recovery for perpendicular magnetic recording 470
Okamoto, Y., see Akamatsu, M. 475
Okawa, S., see Aoyama, T. 174
Okuda, H. and T. Kurioka, Storage technology for television home server 20
Okuda, H., see Machida, K. 201
Okuda, H., see Miyashita, E. 413
Okuda, H., see Kitano, M. 459
Okuo, H., T. Onoue, T. Asahi and T. Osaka, Relationship between surface energy and preferred orientation of CoCr alloy magnetic thin films deposited on C and TiCr underlayers 98
Onodera, S., see Motohashi, K. 30
Onoue, T., T. Asahi, K. Kuramochi, J. Kawaji, T. Homma and T. Osaka, Improvement of signal to noise ratio for Co/Pd multilayer perpendicular magnetic recording media by the addition of an underlayer 40
Onoue, T., J. Kawaji, K. Kuramochi, T. Asahi and T. Osaka, Effect of underlayers on magnetic properties of Co/Pd multilayer perpendicular magnetic recording media 82
Onoue, T., see Asahi, T. 87
Onoue, T., see Okuo, H. 98
O'Grady, K., see Hughes, T. 329
Osaka, T., see Onoue, T. 40
Osaka, T., see Onoue, T. 82
Osaka, T., see Asahi, T. 87
Osaka, T., see Okuo, H. 98
Osawa, H., see Okamoto, Y. 259
Osawa, H., see Okamoto, Y. 465
Osawa, H., see Okamoto, Y. 470
Osawa, H., see Akamatsu, M. 475
Otsuki, A., see Kitano, M. 459
Ouchi, K., see Keitoku, T. 34
Ouchi, K., see Kim, J.-Y. 53
Ouchi, K., see Yan, G. 110
Ouchi, K., see Sáfrán, G. 115
Ouchi, K., see Uchida, M. 143
Ouchi, K., see Ise, K. 187
Ouchi, K., see Takano, H. 241
Ouchi, K., see Honda, N. 289
Ouchi, K., see Suzuki, T. 312
Ouchi, K., see Yamakawa, K. 354
Ouchi, K., see Kiya, T. 429
Ouchi, K., see Komakine, T. 450

Park, G.-S., see Kim, J.-Y. 53
Park, G.S., see Lee, K.J. 398
Park, N.Y., see Lee, K.J. 398
Parker, G., see van Ek, J. 408
Peng, W., see Victora, R.H. 305

Radnóczi, G., see Sáfrán, G. 115
Rice, P., see Ikeda, Y. 104

Sáfrán, G., J. Ariake, N. Honda, K. Ouchi, Z. Czigány, P. Barna, M. Menyhárd and G. Radnóczi, XTEM and AES study of the microstructure for high density Co–Cr–Nb–Pt double layered perpendicular magnetic recording media 115
Sahashi, M., see Fukuzawa, H. 208
Saigo, M., see Asahi, T. 87
Saito, H., see Ishio, S. 148
Saito, H., see Okamoto, Y. 259
Saito, H., see Okamoto, Y. 465
Saito, H., see Okamoto, Y. 470
Saito, H., see Akamatsu, M. 475
Saito, S., Y. Hatta and M. Takahashi, Variation of magnetic properties along the film thickness in perpendicular thin film media investigated by optical method 120
Sakai, Y., see Kitano, M. 459
Sakata, Y., see Wakana, S.-i. 213
Samoto, T., see Motohashi, K. 30
Sato, I., see Aoyama, T. 174
Sato, M., see Okamoto, Y. 465
Sawaguchi, H., see Takano, H. 241

Sawaguchi, H., Y. Nishida, H. Takano and H. Aoi, Performance analysis of modified PRML channels for perpendicular recording systems 265
Sawaguchi, H., see Nishida, Y. 454
Schabes, M., see Greaves, S.J. 418
Schabes, M.E., see Sonobe, Y. 424
Seiko, W., Y. Hoshi and H. Shimizu, Fe and Fe–N films sputter deposited at liquid nitrogen temperature 196
Shigematsu, H., H. Muraoka and Y. Nakamura, Influence of hard-transition shift on overwrite characteristics in perpendicular magnetic recording 435
Shimada, Y., see Ito, T. 165
Shimatsu, T., H. Uwazumi, H. Muraoka and Y. Nakamura, Thermal stability in perpendicular recording media 273
Shimizu, H., see Seiko, W. 196
Shimizu, N., see Tanahashi, K. 59
Shukh, A., 3D FEM modeling of keeper effect on perpendicular recording 403
Shukh, A., see van Ek, J. 408
Shute, H.A., see Wilton, D.T. 393
Sonobe, Y., see Wood, R. 1
Sonobe, Y., see Ikeda, Y. 104
Sonobe, Y., see Greaves, S.J. 418
Sonobe, Y., D. Weller, Y. Ikeda, K. Takano, M.E. Schabes, G. Zeltzer, H. Do, B.K. Yen and M.E. Best, Coupled granular/continuous medium for thermally stable perpendicular magnetic recording 424
Soo, E.W., J.P. Wang, C.J. Sun, Y.F. Xu, T.C. Chong and G.M. Chow, The effects of NiP seed layer in Co-alloy perpendicular thin film media 93
Sun, C.J., see Soo, E.W. 93
Suzuki, T., see Uchida, M. 143
Suzuki, T., see Ishio, S. 148
Suzuki, T., T. Tanaka and K. Ikemizu, High density recording capability for advanced particulate media 159
Suzuki, T., T. Kiya, N. Honda and K. Ouchi, Fe–Pt perpendicular double-layered media with high recording resolution 312
Svedberg, E.B., see van de Veerdonk, R.J.M. 138

Taguchi, K., see Yamakawa, K. 354
Taguchi, R., see Miyashita, E. 413
Taguchi, R., see Kitano, M. 459
Takahashi, M., see Saito, S. 120
Takahashi, Y., see Tanahashi, K. 59
Takano, H., see Kuroda, A. 25
Takano, H., see Mochizuki, M. 191
Takano, H., Y. Nishida, A. Kuroda, H. Sawaguchi, Y. Hosoe, T. Kawabe, H. Aoi, H. Muraoka, Y. Nakamura and K. Ouchi, Realization of 52.5 Gb/in^2 perpendicular recording 241
Takano, H., see Sawaguchi, H. 265
Takano, H., see Nishida, Y. 454
Takano, K., see Ikeda, Y. 104
Takano, K., see Sonobe, Y. 424
Tamai, I., T. Yamamoto, A. Kikukawa, K. Tanahashi, A. Ishikawa and M. Futamoto, Improvement of the crystallographic orientation of double-layered perpendicular recording media by using CoCr (Mo)/Cu intermediate layers 78
Tamaki, T., see Machida, K. 201
Tamaki, T., see Miyashita, E. 413
Tamaki, T., see Kitano, M. 459
Tamari, K., see Yamamoto, S. 342
Tamaru, S., see van de Veerdonk, R.J.M. 138
Tanabe, S., Transition analysis of magnetic recording heads using FDTD 388
Tanahashi, K., see Kuroda, A. 25
Tanahashi, K., N. Shimizu, A. Kikukawa, Y. Takahashi, Y. Honda, A. Ishikawa and M. Futamoto, Low-noise CoCrPt/FeTaC double-layered perpendicular media with NiTaZr intermediate layer 59
Tanahashi, K., see Kikukawa, A. 68
Tanahashi, K., see Nakagawa, H. 73
Tanahashi, K., see Tamai, I. 78
Tanahashi, K., see Honda, Y. 126
Tanahashi, K., see Futamoto, M. 281
Tanaka, T., see Suzuki, T. 159
Tanaka, Y. and T. Hikosaka, Perpendicular recording with high squareness CoPtCrO media 253
Tanaka, Y., see Nakamura, F. 64
Tanamachi, N., see Yamamoto, S. 218
Taniyama, T., see Naoe, M. 223
Tateno, Y. and K. Iwasaki, Interparticle interaction and magnetic anisotropy in vacuum evaporated Co–O perpendicular magnetic thin film 153
Tojyou, F., see Ohchi, Y. 183
Tomita, H., see Fukuzawa, H. 208
Tsuboi, S., H. Matsutera, T. Ishi, N. Ishiwata and K. Ohashi, Read/write characteristics of focused-ion-beam-etched heads for perpendicular magnetic recording media 375

Uchida, M., see Kim, J.-Y. 53
Uchida, M., T. Suzuki and K. Ouchi, Preparation of Fe–Pt perpendicular double-layered media with high electric resistivity backlayer 143
Uchiyama, K., see Aoyama, T. 174
Uesaka, Y., Y. Nakatani, N. Hayashi and H. Fukushima, Read/write properties of oriented longitudinal recording media 445
Uwazumi, H., see Shimatsu, T. 273
Uwazumi, H., see Kitano, M. 459

Van Ek, J., A. Shukh, E. Murdock, G. Parker and S. Batra, Micromagnetic perpendicular recording model: soft magnetic underlayer and skew effect 408
Van de Veerdonk, R.J.M., G. Ju, E.B. Svedberg, D. Weller, S. Tamaru, J.T. Wolfson and J.A. Bain, Real-time observation of sub-nanosecond magnetic switching in perpendicular multilayers 138

Victora, R.H., W. Peng, J. Xue and J.H. Judy, Superlattice magnetic recording media: experiment and simulation 305

Wada, H., see Yamamoto, S. 133
Wada, Y., see Aoyama, T. 174
Wakana, S.-i., T. Nagai and Y. Sakata, Wide bandwidth scanning Kerr microscope based on optical sampling technique using externally triggerable pulse laser diode 213
Wako, H., see Motohashi, K. 30
Wang, J.P., see Soo, E.W. 93
Wang, J.P., see Hee, C.H. 440
Watanabe, H., see Kakizaki, K. 169
Watanabe, S., see Kim, J.-Y. 53
Weller, D., see van de Veerdonk, R.J.M. 138
Weller, D., see Sonobe, Y. 424
Wilson, B., see Wood, R. 1
Wilton, D.T., H.A. Shute, S.J.C. Brown and D.J. Mapps, Approximation of shielded MR head output for perpendicular media 393
Wolfson, J.T., see van de Veerdonk, R.J.M. 138
Wood, R., Y. Sonobe, Z. Jin and B. Wilson, Perpendicular recording: the promise and the problems 1

Xu, Y.F., see Soo, E.W. 93
Xue, J., see Victora, R.H. 305

Yamakawa, K., see Ise, K. 187
Yamakawa, K., K. Taguchi, K. Ise, N. Honda and K. Ouchi, Single-pole recording head design for 100 Gbpsi perpendicular magnetic recording 354
Yamamoto, S., H. Wada, H. Kurisu and M. Matsuura, High-rate deposition of Co–Cr films with perpendicular magnetic anisotropy by ECR sputtering 133
Yamamoto, S., S. Horie, N. Tanamachi, H. Kurisu and M. Matsuura, Fabrication of high-permeability ferrite by spark-plasma-sintering method 218
Yamamoto, S., K. Hirata, H. Kurisu, M. Matsuura, T. Doi and K. Tamari, High coercivity ferrite thin-film tape media for perpendicular recording 342
Yamamoto, T., see Tamai, I. 78
Yamazaki, Y., see Naoe, M. 223
Yan, G., J. Ariake, T. Kiya, N. Honda and K. Ouchi, (Co_xFe_{100-x})–Hf–O granular films as back layers for perpendicular recording media 110
Yen, B.K., see Ikeda, Y. 104
Yen, B.K., see Sonobe, Y. 424
Yoshida, S., see Motohashi, K. 30
Yoshino, T., see Ishio, S. 148
Yuan, Z. and B. Liu, Double layer magnetic data storage—an approach towards 3D magnetic recording 481

Zeltzer, G., see Ikeda, Y. 104
Zeltzer, G., see Sonobe, Y. 424
Zhang, K., see Fujiwara, H. 319
Zhao, T., see Fujiwara, H. 319

ELSEVIER

Journal of Magnetism and Magnetic Materials 235 (2001) 493–494

Journal of magnetism and magnetic materials

www.elsevier.com/locate/jmmm

Subject index to volume 235

3D magnetic recording system 481

Activation volume 30
Alloy film 98
Amorphous C underlayer 98
Amorphous carbon underlayer 40, 87
Anisotropic field dispersion 413
Antiferromagnet 319
Approximate formulae 393
Areal density 1

Ba ferrite tape 159
Back layer 110
Bandwidth 213
Bonding energy 165

c-axis 78
c-axis orientation 169
Carbon intermediate layer 73
CF-SPT head 354
CGC media 10
Class-III PR 265
CoCr-alloy 281
CoCr-based alloys 273
Complementarity law 227
Computer simulation 445
Co–Ni–Fe head 375
Coupled granular/continuous media 424
Cr segregation mode 297
Critical dimensions 408
Cusp-field coil 187

DCD 153
Diffusion 73
Digital broadcasting 20
Discoveries 227
Domain 312
Domain wall pinning 418
Double layer magnetic storage 481
Double layer perpendicular media 10
Double layered media 227, 289, 312
Double layered medium 241, 259, 429, 450
Double return-path-yokes 187
Double-layer media 408
Double-layer perpendicular media 126
Double-layered perpendicular medium 459

Dry etching 223
Dynamic impedance variation rate 382

Easy axis dispersion 413
ECR sputtering 133, 342
Electron beam lithography 174
Electron-cyclotron-resonance 133
Error event 475
Exchange bias 329
Exchange coupling 312, 319
External field robustness 187
Extreme high density 440

Facing targets sputtering 337
FDTD 388
Ferrite thin-film 342
Ferrites 218, 337
Ferromagnet 319
Film composition 34
Finite element methods 368
Focused-ion-beam 375
Free layer 208
Front-stacked gap 201

Generalized PR 265
Grain isolation 93
Grain size distribution 93
Grain size reduction 93
Granular films 110, 165
Granular media 1
Gyromagnetic switching 138

Hard disk 20
Hard-transition shift 435
HDD head 213
Head fields 1
Head induced erasure 187, 354
Head performance 208
Heating sequence 73
Hierarchical recording 20
High electric resistivity 143
High frequency recording 368
High recording density 429
High-frequency carrier-type head 382
High-rate deposition 133
Highly oriented media 440

Home server 20
Hysteresis loop 312

Indium tin oxide film 347
Inter-particle interaction 159
Interactivity 20
Interface reaction 115
Intermediate layer 59, 78, 115, 429
Interparticle interaction 153
Ion bombardment 196
IRM 153
ITR PLL 470

Jitter 450
Jitter-like noise 259, 465

Kerr microscope 213
Kinetic energy controlled particle deposition 347

$L1_0$ structure 148
Laminated core 218
Lattice mismatch 78
Light incident side 120
Longitudinal magnetic recording 235, 440
Low noise design 289
Low temperature deposition 196
Low voltage sputtering 347
Lowest common multiple 435
Lubricant 183
Lubrication 179

Magnetic anisotropy 153, 273
Magnetic anisotropy field 148
Magnetic core 218
Magnetic domain 148
Magnetic domain isolation parameter 53
Magnetic force microscopy 174
Magnetic heads 362
Magnetic interaction 126
Magnetic interaction field 153
Magnetic recording 138, 362, 382, 388, 403
Magnetic recording media 169
Magnetic thin-film head 382

0304-8853/01/$ - see front matter
PII: S0304-8853(01)00505-4

Magnetization 213
Magnetization reversal 329
Magneto-impedance effect 382
Magneto-optical multilayer model 120
Magnetoresistive heads 393
Media noise 30, 454
Medium noise 45, 110, 289
Metal evaporated (ME) tape 183
Metal evaporated tape 30
Metal tape 159
Metal-carbonyls 223
MFM 148
MFM image 459
Micro-actuator 362
Microcrystalline 68
Micromagnetic recording model 408
Micromagnetic simulation 305, 440
M–H loop slope 289
Model 319
MR head 30
Mr sensitivity function 398
MTR code 465
Multilayered film 53, 64
Multilayers 40, 45, 82, 87, 319, 337

Narrow track recording 354
Negative nucleation field 297
Noise 281, 408, 418
NOL 208
Nucleation field 34

Off-track performance 1
Optical sampling 213
Ordering 143, 312
Orientation 445
Orientation ratio 440
Overwrite 435
Oxide addition 143

Partial-response maximum-likelihood system 265
Patterned media 174
Periodicity 435
Perpendicular 78
Perpendicular coercivity 34, 59
Perpendicular double-layer media 403
Perpendicular magnetic anisotropy 342
Perpendicular magnetic recording 10, 40, 45, 82, 87, 187, 227, 235, 245, 259, 265, 289, 312, 368, 375, 398, 424, 429, 465, 470, 475
Perpendicular magnetic recording media 73, 143, 342
Perpendicular magnetization 227
Perpendicular media 25, 93, 305, 413, 418, 454
Perpendicular recording 1, 138, 191, 253, 354, 393
Perpendicular recording media 64, 104, 110, 273, 281, 312
Perpendicular thin film media 120
Perpendicular/longitudinal double layered disk media 481
Phase separation 165
Phosphoric acid ester 179
Phosphorous acid ester 179
Physical decoupling effect 53
Polar Kerr rotation 120
Pole thickness 375
Polycrystalline 319
Preferred orientation 98
Preisach modeling 398
PRML system 259, 465, 475
Pulse diode laser 213
Pulse magnetometer 273

Reactive ion etching 174, 223
Real-time Kerr microscopy 138
Recorded magnetization pattern 413
Recording capability 159
Recording density 445
Recording field 403
Recording head 375
Reduced grain and domain size 115
Remanence coercivity 273
Remanence curve 153
Replay characteristics 393
Reversed domain 450
Ring head 459
Ring-shape head 45
Roll-off curve 305
Rotational hysteresis 319

Seed layer 93
Servo 245
Side writing 408
Signal output 297
Signal processing 241
Simulation 413
Single-pole head 187, 354
Skew 245
Skew angle 191, 459
SNR 424
Soft magnetic films 196
Soft magnetic layer 126, 459
Soft magnetic underlayer 68, 403
Soft underlayer 64
Soft-magnetic backlayer 143
Spark-plasma-sintering 218
Spectrum analysis 450
Specular spin valve 208
Spice 388
Spike distribution 68
Spike noise 68
SPT head 191
SPT writer 241
Sputtering 196
Squareness 34
Stray field 354
Superlattice thin film media 305
Surface energy 98
Surface flatness 281
Surface free energy 183
Surface oxidation 179
Switching speeds 138

Thermal activation 329
Thermal decay 25
Thermal stability 10, 153, 159, 174, 241, 253, 273, 281, 289, 424, 445
Thickness effect 297
Thin films 133, 153, 169, 196, 227, 312, 347
Time domain analysis 388
Time of flying secondly ion mass spectroscopy (TOF-SIMS) 183
Timing recovery 470
Training effect 319
Transition curvature 459
Transition noise 10, 450
Transmission electron microscopy 104
Tunneling magnetoresistance 201
Two step computer simulation method 382

Underlayers 82, 169, 337

Wall-pinning 312
Waveforms 388
Wavelength dependence 120
Write heads 368

Yoke-type TMR head 201